Index

Abdu, T.A.M., Elhadd, T.A., Buch, H., Barton, D., Neary, R. & Clayton, R.N. Recombinant GH replacement in hypopituitary adults improves endothelial cell function and reduces calculated absolute and relative coronary risk, 387

Adams, I.P. see Adams, R.L.

Adams, R.L., Adams, I.P., Lindow, S.W. & Atkin, S.L. Inhibition of endothelial proliferation by the somatostatin analogue SOM230, 431

Aghini-Lombardi, F. see Tonacchera, M.

Agosti, F. see Sartorio, A.

Agretti, P. see Tonacchera, M.

Ahrén, B. see Bülow, B.

Aimaretti, G. see Radetti, G.

Aimaretti, G., Ambrosio, M.R., Di Somma, C., Fusco, A., Cannavò, S., Gasperi, M., Scaroni, C., De Marinis, L., Benvenga, S., Degli Uberti, E.C., Lombardi, G., Mantero, F., Martino, E., Giordano, G. & Ghigo, E. Traumatic brain injury and subarachnoid haemorrhage are conditions at high risk for hypopituitarism: screening study at 3 months after the brain injury, 320

Ajithkumar, T.V. see Brada, M.

Akalin, S. see Yavuz, D.G.

Alvarez-Castro, P., Isidro, M.L., Garcia-Buela, J., Leal-Cerro, A., Broglio, F., Tassone, F., Ghigo, E., Dieguez, C., Casanueva, F.F. & Cordido, F. Marked GH secretion after ghrelin alone or combined with GH-releasing hormone (GHRH) in obese patients, 250

Amâncio, R.F. see Wajchenberg, B.L.

Ambrosio, M.R. see Aimaretti, G.

Amino, N. see Tatsumi, K.

Anderson, N.H. see Kennon, B.

Anderson, S.G see Heald, A.H.

Arnaldi, G. see Mancini, T.

Aron, D.C. see Liu, C.

Arregger, A.L. see Contreras, L.N.

Arvat, E. see Broglio, F.

Arvigo, M. see Minuto, F.

Assmann, G. see Fischer, F.

Atkin, S.L. see Adams, R.L.

Attanasio, R. see Cozzi, R.

Aurbach-Klipper, Y. see Einav-Bachar, R.

Aydin, H. see Yavuz, D.G.

Ayuk, J., Mcgregor, E.J., Mitchell, R.D. & Gittoes, N.J.L. Acute management of pituitary apoplexy – surgery or conservative management?, 747

Bacelar, C. see Porto, G.

Bach, C. see López-Bermejo, A.

Backman, C. see Elgzyri, T.

Baek, K.H. see Oh, K.W.

Baghaei, F. see Westberg, L.

Bahar, A. see Buch, H.N.

Baik, S.H. see Choi, K.M.

Bal, C.S. see Sinha, S.

Ban, Y. see Ban, Y.

Ban, Y., Tozaki, T., Taniyama, M., Tomita, M. & Ban, Y. Association of a thyroglobulin gene polymorphism with Hashimoto's thyroiditis in the Japanese population, 263

Banfield, E. see Wallace, A.M.

Barber, T.W. see Turner, A.

Bardet, S. see Reznik, Y.

Barreca, A. see Minuto, F.

Bartalena, L., Wiersinga, W.M., Tanda, M.L., Bogazzi, F., Piantanida, E., Lai, A. & Martino, E. Diagnosis and management of amiodarone-induced thyrotoxicosis in Europe: results of an international survey among members of the European Thyroid Association, 494

Barton, D. see Abdu, T.A.M.

Bashir, S. see Hoggard, N.

Baudin, E. see Leboulleux, S.

Baumgart, D. see Dagres, N.

Baylis, P.H. see Smith, D.

Beck-Peccoz, P. see Fugazzola, L.

Beck-Peccoz, P. see Giavoli, C.

Benn, D.E. see Mcdonnell, C.M.

Benvenga, S. see Aimaretti, G.

Bertolini, L. see Targher, G.

Betterle, C. see Tonacchera, M.

Betts, P.R. see Storr, H.L.

Bicknell, E.J. see Buch, H.N.

Bindi, G. see Stagi, S.

von Birgelen, C. see Dagres, N.

Björntorp, P. see Westberg, L.

Bladbjerg, E.M. see Kvetny, J.

Bogazzi, F. see Bartalena, L.

Bojunga, J. & Zeuzem, S. Molecular detection of thyroid cancer: an update, 523

Bona, G. see Broglio, F.

Bonnema, S.J. see Nielsen, V.E.

Boscaro, M. see Mancini, T.

Boschetti, M. see Minuto, F.

Brabant, G. see Spranger, J.

Brada, M., Ajithkumar, T.V. & Minniti, G. Radiosurgery for pituitary adenomas, 531

Bramnert, M. see Elgzyri, T.

Brandetti, F. see Carosa, E.

Bray, S. see Heald, A.H.

Brichs, R. see López-Bermejo, A.

Brinkmann, A.O. see van Rossum, E.F.C.

Broglio, F. see Alvarez-Castro, P.

Broglio, F., Gottero, C., Prodam, F., Destefanis, S., Gauna, C., Me, E., Riganti, F., Vivenza, D., Rapa, A., Martina, V., Arvat, E., Bona, G., van der Lely, A.J. & Ghigo, E. Ghrelin secretion is inhibited by glucose load and insulin-induced hypoglycaemia but unaffected by glucagon and arginine in humans, 503

Buch, H. see Abdu, T.A.M.

Buch, H.N., Raskauskiene, D., Bahar, A., Bicknell, E.J., Farrell, W.E. & Clayton, R.N. Prediction of recurrence of nonfunctioning pituitary tumours by loss of heterozygosity analysis, 19

Buckler, H. see Heald, A.H.

Bülow, B., Link, K., Ahrén, B., Nilsson, A.-S. & Erfurth, E.M. Survivors of childhood acute lymphoblastic leukaemia, with radiation-induced GH deficiency, exhibit hyperleptinaemia and impaired insulin sensitivity, unaffected by 12 months of GH treatment, 683

Bussmann, L. see Chiauzzi, V.A.

Cabrero, D. see López-Bermejo, A.

Calder, A.A. see Lindsay, R.S.

Calvo, J.C. see Chiauzzi, V.A.

Camacho-Hübner, C. see Cunha, H.M.

Candiani, M. see Lattuada, D.

Cannavò, S. see Aimaretti, G.

Canteras, M. see Ríos, A.

Cappiello, V. see Giavoli, C.

Cardoso, E.M. see Contreras, L.N.

Carosa, E., Martini, P., Brandetti, F., Di Stasi, S.M., Lombardo, F., Lenzi, A. & Jannini, E.A. Type V phosphodiesterase inhibitor treatments for erectile dysfunction increase testosterone levels. 382

Carr-Smith, J. see Heward, J.M.

Casano-Sancho, P. see López-Bermejo, A.

Casanueva, F.F. see Alvarez-Castro, P.

Castenfors, J. see Elgzyri, T.

Cella, S.G. see Sartorio, A.

Charbonnel, B. see Reznik, Y.

Charreau, E.H. see Chiauzzi, V.A.

Charsoulis, F. see Tziomalos, K.

Chayama, K. see Tsuda, M.

Chen, T.C. see Turner, A.

Cheng, W.-C. see Huang, K.-C.

Chiauzzi, V.A., Bussmann, L., Calvo, J.C., Sundblad, V. & Charreau, E.H. Circulating immunoglobulins that inhibit the binding of follicle-stimulating hormone to its receptor: a putative diagnostic role in resistant ovary syndrome?, 46

Chiou, C.-H. see Tsai, P.-J.

Chiovato, L. see Tonacchera, M.

Choi, D.S. see Choi, K.M.

Choi, K.M., Lee, J., Lee, K.W., Seo, J.A., Oh, J.H., Kim, S.G., Kim, N.H., Choi, D.S. & Baik, S.H. Serum adiponectin concentrations predict the developments of type 2 diabetes and the metabolic syndrome in elderly Koreans, 75

Choi, M.G. see Oh, K.W.

Chow, C.C. see Tang, N.L.S.

Christopher Nordin, B.E., Wishart, J.M., Clifton, P.M., Mcarthur, R., Scopacasa, F., Need, A.G., Morris, H.A., O'loughlin, P.D. & Horowitz, M. A longitudinal study of bone-related biochemical changes at the menopause, 123

Chu, C.-H. see Tsai, P.-J.

Cirello, V. see Fugazzola, L.

Clark, A.J.L. see Storr, H.L.

Claustrat, B. see Szulc, P.

Clayton, R.N. see Abdu, T.A.M.

Clayton, R.N. see Buch, H.N.

Clifton, P.M. see Christopher Nordin, B.E.

Cockram, C.S. see Tang, N.L.S.

Coffin, C. see Reznik, Y.

Colao, A., Di Somma, C., Filippella, M., Rota, F., Pivonello, R., Orio, F., Vitale, G. & Lombardi, G. Insulin-like growth factor-1 deficiency determines increased intima-media thickness at common carotid arteries in adult patients with growth hormone deficiency, 360

Connell, J.M.C. see Kennon, B.

Connell, J.M.C. see Wallace, A.M.

Contadin, I.B. see Radetti, G.

Conte-Devolx, B. see Taïeb, D.

Contreras, L.N., Arregger, A.L., Persi, G.G., Gonzalez, N.S. & Cardoso, E.M. A new less-invasive and more informative low-dose ACTH test: salivary steroids in response to intramuscular corticotrophin, 675

Conway, G.S. see Tsilchorozidou, T.

Corbetta, S. see Giavoli, C.

Cordido, F. see Alvarez-Castro, P.

Cozzi, R., Attanasio, R., Lodrini, S. & Lasio, G. Cabergoline addition to depot somatostatin analogues in resistant acromegalic patients: efficacy and lack of predictive value of prolactin status, 209

Cruz, E. see Porto, G.

Cunha, H.M., Kagohara Elias, L.L., Camacho-Hübner, C., Moreira, A.C. & Martinelli C.E., Jr. Different states of clinical control are associated with changes in IGF-I and IGFBPs in children with congenital adrenal hyperplasia due to 21-hydroxylase deficiency, 94

Dagres, N., Saller, B., Haude, M., Hüsing, J., von Birgelen, C., Schmermund, A., Sack, S., Baumgart, D., Mann, K. & Erbel, R. Insulin sensitivity and coronary vasoreactivity: insulin sensitivity relates to adenosine-stimulated coronary flow response in human subjects, 724 Daraio, F. see Porto, G.

Davies, E. see Kennon, B.

Deepak see Sinha, S.

De Marco, G. see Tonacchera, M.

De Marinis, L. see Aimaretti, G.

De Servi, M. see Tonacchera, M.

Degli Uberti, E.C. see Aimaretti, G

Delmas, P.D. see Szulc, P.

Destefanis, S. see Broglio, F.

Deyneli, O. see Yavuz, D.G.

Di Biase, S. see Esposito, V.

Di Blasio, A.M. see Lattuada, D.

Di Cosmo, C. see Tonacchera, M.

Di Luigi, L. see Sartorio, A.

Di Somma, C. see Aimaretti, G.

Di Somma, C. see Colao, A.

Di Stasi, S.M. see Carosa, E.

Didi, M. see Ng, S.M.

Didi, M. see Wong, S.C.

Dieguez, C. see Alvarez-Castro, P.

Dimida, A. see Tonacchera, M.

Doane, A. see Mah, P.M.

Donald, A. see Wong, V.

Donaldson, M.D.C. see Paterson, W.F.

Donn, R. see Stevens, A.

Dottorini, M. see Salvatori, M.

Dowd, C.F. see Liu, C.

van Duijn, C.M. see Rietveld, I.

Dunger, D. & Ong, K. Abundance of adiponectin in the newborn, 416

Durrington, P.N. see Kwok, S.

von Eckardstein, A. see Fischer, F.

Eckstein, A.K., Plicht, M., Lax, H., Hirche, H., Quadbeck, B., Mann, K., Steuhl, K.P., Esser, J. & Morgenthaler, N.G. Clinical results of anti-inflammatory therapy in Graves' ophthalmopathy and association with thyroidal autoantibodies, 612

Einav-Bachar, R., Phillip, M., Aurbach-Klipper, Y. & Lazar, L. Prepubertal gynaecomastia: aetiology, course and outcome, 55

Elgzyri, T., Castenfors, J., Hägg, E., Backman, C., Thorén, M. & Bramnert, M. The effects of GH replacement therapy on cardiac morphology and function, exercise capacity and serum lipids in elderly patients with GH deficiency, 113

Elhadd, T.A. see Abdu, T.A.M.

Elia, M. see Hoggard, N.

Elphinstone, M.S., Gordon, R.D., So, A., Jeske, Y.W.A., Stratakis, C.A. & Stowasser, M. Genomic structure of the human gene for protein kinase A regulatory subunit R1-beta (PRKAR1B) on 7p22: no evidence for mutations in familial hyperaldosteronism type II in a large affected kindred, 716

Erbel, R. see Dagres, N.

Erfurth, E.M. see Bülow, B.

Eriksson, E. see Westberg, L.

Esposito, V., Di Biase, S., Lettiero, T., Labella, D., Simeone, R. & Salerno, M. Serum homocysteine concentrations in children with growth hormone (GH) deficiency before and after 12 months GH replacement, 607

Esser, J. see Eckstein, A.K.

Eustatia-Rutten, C.F.A., Smit, J.W.A., Romijn, J.A., van der Kleij-Corssmit, E.P.M., Pereira, A.M., Stokkel, M.P. & Kievit, J. Diagnostic value of serum thyroglobulin measurements in the follow-up of differentiated thyroid carcinoma, a structured meta-analysis, 61

Faber, P. see Hoggard, N.

Falezza, G. see Targher, G.

Fanelli, G. see Tonacchera, M.

Farrell, W.E. see Buch, H.N.

Fernández-Real, J.M. see López-Bermejo, A.

Ferone, D. see Minuto, F.

Ferrante, E. see Giavoli, C.

Ferrarini, E. see Tonacchera, M.

Filippella, M. see Colao, A.

Finucane, F. see Smith, D.

Finucane, J. see Smith, D.

Fischer, F., Schulte, H., Mohan, S., Tataru, M.-C., Köhler, E., Assmann, G. & von Eckardstein, A. Associations of insulinlike growth factors, insulin-like growth factor binding proteins and acid-labile subunit with coronary heart disease, 595

Fowler, H.L. see Heald, A.H.

Foxall, H. see Heward, J.M.

Franklyn, J.A. see Heward, J.M.

Fraser, R. see Kennon, B.

Fraser, R. see Wallace, A.M.

Friel, E.C. see Kennon, B.

Fugazzola, L., Mannavola, D., Cirello, V., Vannucchi, G., Muzza, M., Vicentini, L. & Beck-Peccoz, P. BRAF mutations in an Italian cohort of thyroid cancers, 239

Funahashi, T. see López-Bermejo, A.

Fusco, A. see Aimaretti, G.

Galindo, P.J. see Ríos, A.

Galli, L. see Stagi, S.

Galluzzi, F. see Stagi, S.

Garas, A., Trypsianis, G., Kallitsaris, A., Milingos, S. & Messinis, I.E. Effects of clomiphene and raloxifene on gonadotrophin secretion in postmenopausal women: evidence of nongenomic action, 256

Garcia-Buela, J. see Alvarez-Castro, P.

Garrido, E. see López-Bermejo, A.

Gasperi, M. see Aimaretti, G.

Gauna, C. see Broglio, F.

Genaró, P. see López-Bermejo, A.

© 2004 Blackwell Publishing Ltd, Clinical Endocrinology, 61, 785-794

Ghigo, E. see Aimaretti, G.

Ghigo, E. see Alvarez-Castro, P.

Ghigo, E. see Broglio, F.

Ghosh, S. see Heald, A.H.

Gianetti, E. see Tonacchera, M.

Giavoli, C., Cappiello, V., Corbetta, S., Ronchi, C.L., Morpurgo, P.S., Ferrante, E., Beck-Peccoz, P. & Spada, A. Different effects of short- and long-term recombinant hGH administration on ghrelin and adiponectin levels in GH-deficient adults, 81

Gibney, E.R. see Hoggard, N.

Gibson, C. see Heald, A.H.

Giordano, G. see Aimaretti, G.

Gittoes, N.J.L. see Ayuk, J.

Giusti, M. see Minuto, F.

Gonzalez, N.S. see Contreras, L.N.

Gordon, R.D. see Elphinstone, M.S.

Gottardi, E. see Radetti, G.

Gottero, C. see Broglio, F.

Gough, S.C.L. see Heward, J.M.

Gram, J. see Kvetny, J.

Grossman, A.B. see Storr, H.L.

Guang-da, X., Hong-yan, C. & Xian-mei, Z. Changes in endothelium-dependent arterial dilation before and after subtotal thyroidectomy in subjects with hyperthyroidism, 400

Guidetti, L. see Sartorio, A.

Hägg, E. see Elgzyri, T.

Hamilton, B.A. see Lindsay, R.S.

Hara, Y. see Tsuda, M.

Harries, M.J. see Peacey, S.R.

Haude, M. see Dagres, N.

Haugen, B.R. see Woodmansee, W.W.

Heald, A.H., Ghosh, S., Bray, S., Gibson, C., Anderson, S.G., Buckler, H. & Fowler, H.L. Long-term negative impact on quality of life in patients with successfully treated Cushing's disease, 458

Hegedüs, L. see Nielsen, V.E.

Heldgaard, P.E. see Kvetny, J.

Henry, J.F. see Taïeb, D.

Heward, J.M., Simmonds, M.J., Carr-Smith, J., Foxall, H., Franklyn, J.A. & Gough, S.C.L. A single nucleotide polymorphism in the CD40 gene on chromosome 20q (GD-2) provides no evidence for susceptibility to Graves' disease in UK Caucasians, 269

Higashi, Y. see Tsuda, M.

Higashiura, K., Ura, N., Ohata, J.-I., Togashi, N., Takagi, S., Saitoh, S., Murakami, H., Takagawa, Y. & Shimamoto, K. Correlations of adiponectin level with insulin resistance and atherosclerosis in Japanese male populations, 753

Hillis, W.S. see Wallace, A.M.

Hindmarsh, P.C. see Storr, H.L.

Hirche, H. see Eckstein, A.K.

Ho, H.-P. see Westberg, L.

Ho, S.-C. see Tsai, P.-J.

Hofman, A. see Rietveld, I.

Hoggard, N., Johnstone, A.M., Faber, P., Gibney, E.R., Elia, M., Lobley, G., Rayner, V., Horgan, G., Hunter, L., Bashir, S. & Stubbs, R.J. Plasma concentrations of α-MSH, AgRP and leptin in lean and obese men and their relationship to differing states of energy balance perturbation, 31

Holick, M.F. see Turner, A.

Holm, G. see Westberg, L.

Hong, S.J. see Kim, E.S.

Hong-yan, C. see Guang-da, X.

Horgan, G. see Hoggard, N.

Horowitz, M. see Christopher Nordin, B.E.

Houwing-Duistermaat, J.J. see Rietveld, I.

Hsu, S.-P. see Tsai, P.-J.

Hsu, Y.-W. see Tsai, P.-J.

Huang, K.-C., Cheng, W.-C., Yen, R.-F., Tsai, K.-S., Tai, T.-Y. & Yang, W.-S. Lack of independent relationship between plasma adiponectin, leptin levels and bone density in nondiabetic female adolescents, 204

Hubbard, J.G. see Taïeb, D.

Huhtala, H. see Metso, S.

Hunt, M. see Kaye, J.

Hunter, L. see Hoggard, N.

Hüsing, J. see Dagres, N.

Ibañez, L. see López-Bermejo, A.

Ibbotson, V. see Mah, P.M.

Ingram, M. see Wallace, A.M.

Ingram, M.C. see Kennon, B.

Isidro, M.L. see Alvarez-Castro, P.

Jaatinen, P. see Metso, S.

Jagannathan, N.R. see Sinha, S.

Jannini, E.A. see Carosa, E.

Janssen, J.A.M.J.L. see Rietveld, I.

Jenkins, R.C. see Mah, P.M.

Jeske, Y.W.A. see Elphinstone, M.S.

Jimerson, D.C. see Wolfe, B.E.

Johnston, D.I. see Storr, H.L.

Johnstone, A.M. see Hoggard, N.

Johnstone, F.D. see Lindsay, R.S.

de Jong, F.H. see van Rossum, E.F.C.

Jørgensen, K. see Klose, M.

Kagohara, Elias, L.L. see Cunha, H.M.

Kallitsaris, A. see Garas, A.

Kang, M.I. see Oh, K.W.

Karga, H., Papapetrou, P.D., Korakovouni, A., Papandroulaki, F., Polymeris, A. & Pampouras, G. Bone mineral density in hyperthyroidism, 466 Kaye, J., Soothill, P., Hunt, M. & Lightman, S. Responses to the 35% CO₂ challenge in postpartum women, 582

Kennon, B., Ingram, M.C., Friel, E.C., Anderson, N.H., Mackenzie, S.M., Davies, E., Shakerdi, L., Wallace, A.M., Fraser, R. & Connell, J.M.C. Aldosterone synthase gene variation and adrenocortical response to sodium status, angiotensin II and ACTH in normal male subjects, 174

Kievit, J. see Eustatia-Rutten, C.F.A.

Kihara, S. see López-Bermejo, A.

Kikuchi, K. see Tatsumi, K.

Kim, E.S., Kim, T.Y., Koh, J.M., Kim, Y.I., Hong, S.J., Kim, W.B. & Shong, Y.K. Completion thyroidectomy in patients with thyroid cancer who initially underwent unilateral operation, 145

Kim, K., Yamada, S., Usui, M. & Sano, T. Preoperative identification of clearly separated double pituitary adenomas, 26

Kim, N.H. see Choi, K.M.

Kim, S.G. see Choi, K.M.

Kim, S.W. see Oh, K.W.

Kim, T.Y. see Kim, E.S.

Kim, W.B. see Kim, E.S.

Kim, Y.I. see Kim, E.S.

Kitamura, S. see Kotani, Y.

van der Kleij-Corssmit, E.P.M. see Eustatia-Rutten, C.F.A.

Klose, M., Jørgensen, K. & Kristensen, L.Ø. Characteristics of recovery of adrenocortical function after treatment for Cushing's syndrome due to pituitary or adrenal adenomas, 394

Ko, G.T.C. see Tang, N.L.S.

Kodama, I. see Tsuda, M.

Koh, J.M. see Kim, E.S.

Köhler, E. see Fischer, F.

Kola, B. see Mancini, T.

Koper, J.W. see van Rossum, E.F.C.

Korakovouni, A. see Karga, H.

Kotani, Y., Yokota, I., Kitamura, S., Matsuda, J., Naito, E. & Kuroda, Y. Plasma adiponectin levels in newborns are higher than those in adults and positively correlated with birth weight, 418

Kristensen, L.Ø. see Klose, M.

Kumar, V. see Sinha, S.

Kunwar, S. see Liu, C.

Kuroda, Y. see Kotani, Y.

Kvetny, J., Heldgaard, P.E., Bladbjerg, E.M. & Gram, J. Subclinical hypothyroidism is associated with a low-grade inflammation, increased triglyceride levels and predicts cardiovascular disease in males below 50 years, 232

Kwok, R. see Tang, N.L.S.

Kwok, S., Selby, P.L., Mcelduff, P., Laing, I., Mackness, B., Mackness, M.I., Prais, H., Morgan, J., Yates, A.P., Durrington, P.N. & Sci, F.M. Progestogens of varying androgenicity and cardiovascular risk factors in postmenopausal women receiving oestrogen replacement therapy, 760 Labella, D. see Esposito, V.

Lacerda, R. see Porto, G.

Lai, A. see Bartalena, L.

Laing, I. see Kwok, S.

Lamberts, S.W.J. see Rietveld, I.

Lamberts, S.W.J. see van Rossum, E.F.C.

Lasio, G. see Cozzi, R.

Lattuada, D., Somigliana, E., Viganò, P., Candiani, M., Pardi, G. & Di Blasio, A.M. Genetics of endometriosis: a role for the progesterone receptor gene polymorphism PROGINS?, 190

Lax, H. see Eckstein, A.K.

Layman, L.C. Autoantibodies against the FSH receptor: association or causation?, 414

Lazar, L. see Einav-Bachar, R.

Leal-Cerro, A. see Alvarez-Castro, P.

Leboulleux, S., Baudin, E., Travagli, J.-P. & Schlumberger, M. Medullary thyroid carcinoma, 299

Lecomte, P. see Reznik, Y.

Lee, J. see Choi, K.M.

Lee, K.W. see Choi, K.M.

Lee, W.Y. see Oh, K.W.

Lee, Y.-H. see Tsai, P.-J.

Lefebvre, H. see Reznik, Y.

van der Lely, A.J. see Broglio, F.

Lenzi, A. see Carosa, E.

Lettiero, T. see Esposito, V.

Lightman, S. see Kaye, J.

Lindow, S.W. see Adams, R.L.

Lindsay, R.S., Hamilton, B.A., Calder, A.A., Johnstone, F.D. & Walker, J.D. On behalf of the Scottish Multicentre Study of Diabetes in Pregnancy. The relation of insulin, leptin and IGF-1 to birthweight in offspring of women with type 1 diabetes, 353

Link, K. see Bülow, B.

Liu, C., Lo, J.C., Dowd, C.F., Wilson, C.B., Kunwar, S., Aron, D.C. & Tyrrell, J.B. Cavernous and inferior petrosal sinus sampling in the evaluation of ACTH-dependent Cushing's syndrome, 478

Lo, J.C. see Liu, C.

Lobley, G. see Hoggard, N.

Lodrini, S. see Cozzi, R.

Lombardi, G. see Aimaretti, G.

Lombardi, G. see Colao, A.

Lombardo, F. see Carosa, E.

López-Bermejo, A., Casano-Sancho, P., Fernández-Real, J.M., Kihara, S., Funahashi, T., Rodríguez-Hierro, F., Ricart, W. & Ibañez, L. Both intrauterine growth restriction and postnatal growth influence childhood serum concentrations of adiponectin. 339

López-Bermejo, A., Fernández-Real, J.M., Garrido, E., Rovira, R., Brichs, R., Genaró, P., Bach, C., Cabrero, D., Kihara,

S., Funahashi, T., Vendrell, J. & Ricart, W. Maternal soluble tumour necrosis factor receptor type 2 (sTNFR2) and adiponectin are both related to blood pressure during gestation and infant's birthweight, 544

Luukkaala, T. see Metso, S.

Mackenzie, S.M. see Kennon, B.

Mackness, B. see Kwok, S.

Mackness, M.I. see Kwok, S.

Maffiuletti, N.A. see Sartorio, A.

Mah, P.M., Jenkins, R.C., Rostami-Hodjegan, A., Newell-Price, J., Doane, A., Ibbotson, V., Tucker, G.T. & Ross, R.J. Weightrelated dosing, timing and monitoring hydrocortisone replacement therapy in patients with adrenal insufficiency, 367

Mahoudeau, J. see Reznik, Y.

Main, K.M. see Storr, H.L.

Malabanan, A.O. see Turner, A.

Mancini, T., Kola, B., Mantero, F., Boscaro, M. & Arnaldi, G. High cardiovascular risk in patients with Cushing's syndrome according to 1999 WHO/ISH guidelines, 768

Mann, K. see Dagres, N.

Mann, K. see Eckstein, A.K.

Mannavola, D. see Fugazzola, L.

Mantero, F. see Aimaretti, G.

Mantero, F. see Mancini, T.

Mantzoros, C.S. see Wolfe, B.E.

Maranhão, R.C. see Wajchenberg, B.L.

Marazzi, N. see Sartorio, A.

Marchand, F. see Szulc, P.

Marsh, D.J. see Mcdonnell, C.M.

Martina, V. see Broglio, F.

de Martino, M. see Stagi, S.

Martinelli Jr, C.E. see Cunha, H.M.

Martini, P. see Carosa, E.

Martino, E. see Aimaretti, G.

Martino, E. see Bartalena, L.

Matsuda, J. see Kotani, Y.

Maussier, M.L. see Salvatori, M.

Mcarthur, R. see Christopher Nordin, B.E.

Mcdonnell, C.M., Benn, D.E., Marsh, D.J., Robinson, B.G. & Zacharin, M.R. K40E: a novel succinate dehydrogenase (SDH)B mutation causing familial phaeochromocytoma and paraganglioma, 510

Mcelduff, P. see Kwok, S.

Mcgregor, E.J. see Ayuk, J.

McLachlan, S.M. & Rapoport, B. Thyroid stimulating monoclonal antibodies: overcoming the road blocks and the way forward, 10

Mclean, M. see Wong, V.

Mcneill, E. see Paterson, W.F.

Me, E. see Broglio, F.

Melke, J. see Westberg, L.

Messinis, I.E. see Garas, A.

Metso, S., Jaatinen, P., Huhtala, H., Luukkaala, T., Oksala, H. & Salmi, J. Long-term follow-up study of radioiodine treatment of hyperthyroidism, 641

Milingos, S. see Garas, A.

Minniti, G. see Brada, M.

Minuto, F., Resmini, E., Boschetti, M., Arvigo, M., Sormani, M.P., Giusti, M., Ferone, D. & Barreca, A. Assessment of disease activity in acromegaly by means of a single blood sample: comparison of the 120th minute postglucose value with spontaneous GH secretion and with the IGF system, 138

Miranda, H.P. see Porto, G.

Misra, A. see Sinha, S.

Mitchell, H. see Storr, H.L.

Mitchell, R.D. see Ayuk, J.

Mohan, S. see Fischer, F.

Möhlig, M. see Spranger, J.

Montoya, M. see Ríos, A.

Moreira, A.C. see Cunha, H.M.

Morgan, J. see Kwok, S. Morgenthaler, N.G. see Eckstein, A.K.

Morpurgo, P.S. see Giavoli, C.

Morris, H.A. see Shristopher Nordin, B.E.

Muggeo, M. see Zoppini, G.

Muller, E.E. see Sartorio, A.

Mundler, O. see Taïeb, D.

Munoz, F. see Szulc, P.

Murakami, H. see Higashiura, K.

Murphy, E. & Williams, G.R. The thyroid and the skeleton, 285

Muzza, M. see Fugazzola, L.

Naito, E. see Kotani, Y.

Neary, R. see Abdu, T.A.M.

Need, A.G. see Shristopher Nordin, B.E.

Newell-Price, J. see Mah, P.M.

Ng, S.M. see Wong, S.C.

Ng, S.M., Wong, S.C. & Didi, M. Head circumference and linear growth during the first 3 years in treated congenital hypothyroidism in relation to aetiology and initial biochemical severity, 155

Nielsen, V.E., Bonnema, S.J. & Hegedüs, L. The effects of recombinant human thyrotropin, in normal subjects and patients with goitre, 655

Nilsson, A.-S. see Bülow, B.

Nilsson, S. see Westberg, L.

Oh, E.S. see Oh, K.W.

Oh, J.H. see Choi, K.M.

Oh, K.W., Rhee, E.J., Lee, W.Y., Kim, S.W., Oh, E.S., Baek, K.H., Kang, M.I., Choi, M.G., Yoo, H.J. & Park, S.W. The relationship between circulating osteoprotegerin levels and bone mineral metabolism in healthy women, 244

Ohama, K. see Tsuda, M.

© 2004 Blackwell Publishing Ltd, Clinical Endocrinology, 61, 785-794

Ohata, J.-I. see Higashiura, K.

Oksala, H. see Metso, S.

O'loughlin, P.D. see Christopher Nordin, B.E.

Ong, K. see Dunger, D.

Orio, F. see Colao, A.

Orlova, C. see Wolfe, B.E.

Ozen, Y. see Yavuz, D.G.

Pampouras, G. see Karga, H.

Pandey, R.M. see Sinha, S.

Papandroulaki, F. see Karga, H.

Papapetrou, P.D. see Karga, H.

Pardi, G. see Lattuada, D.

Park, S.W. see Oh, K.W.

Parrilla, P. see Rios, A.

Pasquino, B. see Radetti, G.

Paterson, W.F., Mcneill, E., Young, D. & Donaldson, M.D.C. Auxological outcome and time to menarche following longacting goserelin therapy in girls with central precocious or early puberty, 626

Peacey, S.R., Wright, D. & Harries, M.J. Failure to normalize parathyroid hormone during treatment of vitamin D deficiency in Asian patients, 603

Pearce, S.H.S. Spontaneous reporting of adverse reactions to carbimazole and propylthiouracil in the UK, 589

Pereira, A.M. see Eustatia-Rutten, C.F.A.

Perotti, G. see Salvatori, M.

Perren, A. see Wiesli, P.

Persi, G.G. see Contreras, L.N.

Pfammatter, T. see Wiesli, P.

Pfeiffer, A.F.H. see Spranger, J.

Phillip, M. see Einav-Bachar, R.

Phillips, J. see Smith, D.

Piantanida, E. see Bartalena, L.

Pinchera, A. see Tonacchera, M.

Pivonello, R. see Colao, A.

Plicht, M. see Eckstein, A.K.

Poli, F. see Targher, G.

Pols, H.A.P. see Rietveld, I.

Pols, H.A.P. see van Rossum, E.F.C.

Polymeris, A. see Karga, H.

Porto, B. see Porto, G.

Porto, G., Cruz, E., Miranda, H.P., Porto, B., Vasconcelos, J.C., Lacerda, R., Roetto, A., Daraio, F. & Bacelar, C. Growth hormone (GH)-induced reconstitution of CD8+ CD28+ T lymphocytes in a rare case of severe lymphopenia associated with Juvenile Haemochromatosis and Turner's syndrome, 437

Pra, C.D. see Tonacchera, M.

Prais, H. see Kwok, S.

Prodam, F. see Broglio, F.

Pucci, E. see Tonacchera, M.

Quadbeck, B. see Eckstein, A.K.

Radetti, G., Pasquino, B., Gottardi, E., Contadin, I.B., Rigon, F. & Aimaretti, G. Insulin sensitivity in growth hormone-deficient children: influence of replacement treatment, 473

Rapa, A. see Broglio, F.

Rapoport, B. see McLachlan, S.M.

Raskauskiene, D. see Buch, H.N.

Ray, D. see Stevens, A.

Rayner, V. see Hoggard, N.

Resmini, E. see Minuto, F.

Reznek, R.H. see Storr, H.L.

Reznik, Y., Lefebvre, H., Rohmer, V., Charbonnel, B., Tabarin, A., Rodien, P., Lecomte, P., Bardet, S., Coffin, C. & Mahoudeau, J., for the REHOS Study Group. Aberrant adrenal sensitivity to multiple ligands in unilateral incidentaloma with subclinical autonomous cortisol hypersecretion: a prospective clinical study, 311

Rhee, E.J. see Oh, K.W.

Ricart, W. see López-Bermejo, A.

Rietveld, I., Janssen, J.A.M.J.L., van Rossum, E.F.C., Houwing-Duistermaat, J.J., Rivadeneira, F., Hofman, A., Pols, H.A.P., van Duijn, C.M. & Lamberts, S.W.J. A polymorphic CA repeat in the IGF-I gene is associated with gender-specific differences in body height, but has no effect on the secular trend in body height, 195

Rigamonti, A.E. see Sartorio, A.

Riganti, F. see Broglio, F.

Rigon, F. see Radetti, G.

Ríos, A., Rodríguez, J.M., Galindo, P.J., Montoya, M., Tebar, F.J., Sola, J., Canteras, M. & Parrilla, P. Utility of fine-needle aspiration for diagnosis of carcinoma associated with multinodular goitre, 732

Ristow, M. see Spranger, J.

Rivadeneira, F. see Rietveld, I.

Robinson, B.G. see Mcdonnell, C.M.

Rodien, P. see Reznik, Y.

Rodríguez, J.M. see Ríos, A.

Rodríguez-Hierro, F. see López-Bermejo, A.

Roetto, A. see Porto, G.

Rohmer, V. see Reznik, Y.

Roks, P.H.M. see van Rossum, E.F.C.

Romijn, J.A. see Eustatia-Rutten, C.F.A.

Ronchi, C.L. see Giavoli, C.

Rosmond, R. see Westberg, L.

Ross, R.J. see Mah, P.M.

van Rossum, E.F.C. see Rietveld, I.

van Rossum, E.F.C., Roks, P.H.M., de Jong, F.H., Brinkmann, A.O., Pols, H.A.P., Koper, J.W. & Lamberts, S.W.J. Characterization of a promoter polymorphism in the glucocorticoid receptor gene and its relationship to three other polymorphisms, 573 Rostami-Hodjegan, A. see Mah, P.M.

Rota, F. see Colao, A.

Rovira, R. see López-Bermejo, A.

Rufini, V. see Salvatori, M.

Sack, S. see Dagres, N.

Saitoh, S. see Higashiura, K.

Salerno, M. see Esposito, V.

Saller, B. see Dagres, N.

Salmi, J. see Metso, S. Salti, R. see Stagi, S.

Salvatori, M., Perotti, G., Rufini, V., Maussier, M.L. & Dottorini, M. Are there disadvantages in administering ¹³¹I ablation therapy in patients with differentiated thyroid carcinoma without a preablative diagnostic ¹³¹I whole-body scan?, 704

Sanada, M. see Tsuda, M.

Sano, T. see Kim, K.

Santomauro, A.T. see Wajchenberg, B.L.

Saremaslani, P. see Wiesli, P.

Sartorio, A., Agosti, F., Marazzi, N., Maffiuletti, N.A., Cella, S.G., Rigamonti, A.E., Guidetti, L., Di Luigi, L. & Muller, E.E. Combined evaluation of resting IGF-I, N-terminal propeptide of type III procollagen (PIIINP) and C-terminal cross-linked telopeptide of type I collagen (ICTP) levels might be useful for detecting inappropriate GH administration in athletes: a preliminary report, 487

Savage, M.O. see Storr, H.L.

Scala, L. see Targher, G.

Scaroni, C. see Aimaretti, G.

Schill, T. see Spranger, J.

Schlumberger, M. see Leboulleux, S.

Schmermund, A. see Dagres, N.

Schmid, C. see Wiesli, P.

Schlösser, H.W. see Spranger, J.

Schöfl, C. see Spranger, J.

Schulte, H. see Fischer, F.

Sci, F.M. see Kwok, S.

Scopacasa, F. see Shristopher Nordin, B.E.

Sebag, F. see Taïeb, D.

Selby, P.L. see Kwok, S.

Seo, J.A. see Choi, K.M.

Shakerdi, L. see Kennon, B.

Shalet, S.M. Growth hormone outgrows growth, 1

Shaw, N.J. see Storr, H.L.

Shimamoto, K. see Higashiura, K.

Shong, Y.K. see Kim, E.S.

Simeone, R. see Esposito, V.

Simmonds, M.J. see Heward, J.M.

Singhania, R. see Sinha, S.

Sinha, S., Misra, A., Kumar, V., Jagannathan, N.R., Bal, C.S., Pandey, R.M., Singhania, R. & Deepak Proton magnetic resonance spectroscopy and single photon emission computed tomography study of the brain in asymptomatic young hyperlipidaemic Asian Indians in North India show early abnormalities, 182

Smit, J.W.A. see Eustatia-Rutten, C.F.A.

Smith, D., Finucane, F., Phillips, J., Baylis, P.H., Finucane, J., Tormey, W. & Thompson, C.J. Abnormal regulation of thirst and vasopressin secretion following surgery for craniopharyngioma, 273

So, A. see Elphinstone, M.S.

Sola, J. see Rios, A.

Somigliana, E. see Lattuada, D.

Soothill, P. see Kaye, J.

Sormani, M.P. see Minuto, F.

Spada, A. see Giavoli, C.

Spinas, G.A. see Wiesli, P.

Spranger, J., Möhlig, M., Wegewitz, U., Ristow, M., Pfeiffer, A.F.H., Schill, T., Schlösser, H.W., Brabant, G. & Schöfl, C. Adiponectin is independently associated with insulin sensitivity in women with polycystic ovary syndrome, 738

Stagi, S., Bindi, G., Galluzzi, F., Galli, L., Salti, R. & de Martino, M. Changed bone status in human immunodeficiency virus type 1 (HIV-1) perinatally infected children is related to low serum free IGF-I, 692

Steuhl, K.P. see Eckstein, A.K.

Stevens, A., Donn, R. & Ray, D. Regulation of glucocorticoid receptor gamma (GRγ) by glucocorticoid receptor haplotype and glucocorticoid, 327

Stokkel, M.P. see Eustatia-Rutten, C.F.A.

Storr, H.L., Mitchell, H., Swords, F.M., Main, K.M., Hindmarsh, P.C., Betts, P.R., Shaw, N.J., Johnston, D.I., Clark, A.J.L., Reznek, R.H., Grossman, A.B. & Savage, M.O. Clinical features, diagnosis, treatment and molecular studies in paediatric Cushing's syndrome due to primary nodular adrenocortical hyperplasia, 553

Stowasser, M. see Elphinstone, M.S.

Stratakis, C.A. see Elphinstone, M.S.

Stubbs, R.J. see Hoggard, N.

Sundblad, V. see Chiauzzi, V.A.

Swan, L. see Wallace, A.M.

Swords, F.M. see Storr, H.L.

Szulc, P., Claustrat, B., Munoz, F., Marchand, F. & Delmas, P.D.
Assessment of the role of 17β-oestradiol in bone metabolism in men: does the assay technique matter? The MINOS study, 447

Tabarin, A. see Reznik, Y.

Tai, M.H.L. see Tang, N.L.S.

Tai, T.-Y. see Huang, K.-C.

Taïeb, D., Sebag, F., Hubbard, J.G., Mundler, O., Henry, J.F. & Conte-Devolx, B. Does iodine-131 meta-iodobenzylguanidine (MIBG) scintigraphy have an impact on the management of sporadic and familial phaeochromocytoma?, 102 Takagawa, Y. see Higashiura, K.

Takagi, S. see Higashiura, K.

Tanda, M.L. see Bartalena, L.

Tang, N.L.S., Chow, C.C., Ko, G.T.C., Tai, M.H.L., Kwok, R., Yao, X.Q. & Cockram, C.S. No mutation in the KCNE3 potassium channel gene in Chinese thyrotoxic hypokalaemic periodic paralysis patients, 109

Tangpricha, V. see Turner, A.

Taniyama, M. see Ban, Y.

Targher, G. see Zoppini, G.

Targher, G., Bertolini, L., Scala, L., Poli, F., Zenari, L. & Falezza, G. Decreased plasma adiponectin concentrations are closely associated with nonalcoholic hepatic steatosis in obese individuals, 700

Tassone, F. see Alvarez-Castro, P.

Tataru, M.-C. see Fischer, F.

Tatsumi, K., Kikuchi, K., Tsumura, K. & Amino, N. A novel PROP1 gene mutation (157delA) in Japanese siblings with combined anterior pituitary hormone deficiency, 635

Tebar, F.J. see Rios, A.

Thompson, C.J. see Smith, D.

Thorén, M. see Elgzyri, T.

Thornton-Jones, V.A. see Turner, H.E.

Togashi, N. see Higashiura, K.

Tomita, M. see Ban, Y.

Tonacchera, M., Ferrarini, E., Dimida, A., Agretti, P., De Marco, G., De Servi, M., Gianetti, E., Chiovato, L., Pucci, E., Pra, C.D., Betterle, C., Aghini-Lombardi, F., Vitti, P. & Pinchera, A. Gonadotrophin receptor blocking antibodies measured by the use of cell lines stably expressing human gonadotrophin receptors are not detectable in women with 46, XX premature ovarian failure, 376

Tonacchera, M., Viacava, P., Fanelli, G., Agretti, P., De Marco, G., De Servi, M., Di Cosmo, C., Chiovato, L., Pinchera, A. & Vitti, P. The sodium-iodide symporter protein is always present at a low expression and confined to the cell membrane in nonfunctioning nonadenomatous nodules of toxic nodular goitre, 40

Tormey, W. see Smith, D.

Tozaki, T. see Ban, Y.

Travagli, J.-P. see Leboulleux, S.

Trypsianis, G. see Garas, A.

Tsai, K.-S. see Huang, K.-C.

Tsai, P.-J., Yu, C.-H., Hsu, S.-P., Lee, Y.-H., Chiou, C.-H., Hsu, Y.-W., Ho, S.-C. & Chu, C.-H. Cord plasma concentrations of adiponectin and leptin in healthy term neonates: positive correlation with birthweight and neonatal adiposity, 88

Tsilchorozidou, T. & Conway, G.S. Uterus size and ovarian morphology in women with isolated growth hormone deficiency, hypogonadotrophic hypogonadism and hypopituitarism, 567 Tsuda, M., Sanada, M., Higashi, Y., Hara, Y., Kodama, I., Chayama, K., Yoshizumi, M. & Ohama, K. Apolipoprotein E phenotype affects the malondialdehyde-modified LDL concentration and forearm endothelial function in postmenopausal women, 619

Tsumura, K. see Tatsumi, K.

Tucker, G.T. see Mah, P.M.

Turner, A., Chen, T.C., Barber, T.W., Malabanan, A.O., Holick, M.F. & Tangpricha, V. Testosterone increases bone mineral density in female-to-male transsexuals: a case series of 15 subjects, 560

Turner, H.E., Thornton-Jones, V.A. & Wass, J.A.H. Systematic dose-extension of octreotide LAR: the importance of individual tailoring of treatment in patients with acromegaly, 224

Tyrrell, J.B. see Liu, C.

Tziomalos, K. & Charsoulis, F. Endocrine effects of tobacco smoking, 664

Ura, N. see Higashiura, K.

Usui, M. see Kim, K.

Vannucchi, G. see Fugazzola, L.

Vasconcelos, J.C. see Porto, G.

Vendrell, J. see López-Bermejo, A.

Venturi, C. see Zoppini, G.

Viacava, P. see Tonacchera, M.

Vicentini, L. see Fugazzola, L.

Viganò, P. see Lattuada, D.

Vitale, G. see Colao, A.

Vitti, P. see Tonacchera, M.

Vivenza, D. see Broglio, F.

Wajchenberg, B.L., Amâncio, R.F., Santomauro, A.T. & Maranhão, R.C. Metabolism of chylomicrons in patients with congenital lipoatrophic diabetes: a study with emulsion models of chylomicrons, 347

Walker, J.D. see Lindsay, R.S.

Wallace, A.M. see Kennon, B.

Wallace, A.M., Banfield, E., Ingram, M., Fraser, R., Swan, L., Hillis, W.S. & Connell, J.M.C. Glucocorticoids contribute to the heritability of leptin in Scottish adult female twins, 149

Wass, J.A.H. see Turner, H.E.

Weetman, A.P. Cellular immune responses in autoimmune thyroid disease, 405

Wegewitz, U. see Spranger, J.

Westberg, L., Ho, H.-P., Baghaei, F., Nilsson, S., Melke, J., Rosmond, R., Holm, G., Björntorp, P. & Eriksson, E. Polymorphisms in oestrogen and progesterone receptor genes: possible influence on prolactin levels in women, 216

Wiersinga, W.M. see Bartalena, L.

Wiesli, P., Perren, A., Saremaslani, P., Pfammatter, T., Spinas, G.A.
& Schmid, C. Abnormalities of proinsulin processing in functioning insulinomas: clinical implications, 424

Williams, G.R. see Murphy, E.

Wilson, C.B. see Liu, C.

Wishart, J.M. see Christopher Nordin, B.E.

Wolfe, B.E., Jimerson, D.C., Orlova, C. & Mantzoros, C.S. Effect of dieting on plasma leptin, soluble leptin receptor, adiponectin and resistin levels in healthy volunteers, 332

Wong, S.C. see Ng, S.M.

Wong, S.C., Ng, S.M. & Didi, M. Children with congenital hypothyroidism are at risk of adult obesity due to early adiposity rebound, 441

Wong, V., Yan, T., Donald, A. & Mclean, M. Saliva and bloodspot cortisol: novel sampling methods to assess hydrocortisone replacement therapy in hypoadrenal patients, 131

Woodmansee, W.W. & Haugen, B.R. Uses for recombinant human TSH in patients with thyroid cancer and nodular goiter, 163

Wright, D. see Peacey, S.R.

Xian-mei, Z. see Guang-da, X.

Yamada, S. see Kim, K.

Yan, T. see Wong, V.

Yang, W.-S. see Huang, K.-C.

Yao, X.O. see Tang, N.L.S.

Yates, A.P. see Kwok, S.

Yavuz, D.G., Yüksel, M., Deyneli, O., Ozen, Y., Aydin, H. & Akalin, S. Association of serum paraoxonase activity with insulin sensitivity and oxidative stress in hyperthyroid and TSH-suppressed nodular goitre patients, 515

Yen, R.-F. see Huang, K.-C.

Yokota, I. see Kotani, Y.

Yoo, H.J. see Oh, K.W.

Yoshizumi, M. see Tsuda, M.

Young, D. see Paterson, W.F.

Yu, C.-H. see Tsai, P.-J.

Yüksel, M. see Yavuz, D.G.

Zacharin, M.R. see Mcdonnell, C.M.

Zamboni, C. see Zoppini, G.

Zenari, L. see Targher, G.

Zeuzem, S. see Bojunga, J.

Zoppini, G., Targher, G., Venturi, C., Zamboni, C. & Muggeo, M. Relationship of nonalcoholic hepatic steatosis to overnight low-dose dexamethasone suppression test in obese individuals, 711

Subject index to Volume 61

Acid-labile subunit

association with coronary heart disease 595

Acromegaly

assessment of disease activity 138 octreotide LAR dose extension 224 radiosurgery (Review) 534

resistant: cabergoline and somatostatin analogues 209

ACTH

effects of tobacco smoking (Review) 664 new low-dose test 675 in regulation of aldosterone synthesis 174 sinus sampling in Cushing's syndrome 478

Adiponectin

atherosclerosis and insulin resistance 753 in children born SGA 339 in diabetes type 2 and metabolic syndrome 75 effect of dieting 332 effects of GHD and GH therapy 81 insulin sensitivity in PCOS women 738 leptin and bone density in female adolescents 204 levels in newborns 418 (Commentary) 416 nonalcoholic hepatic steatosis in obesity 700 TNF-α system and gestation 544 weight and adiposity at birth 88

Adiposity

rebound, in congenital hypothyroidism 441

Adolescents

adiponectin, leptin and bone density 204

Adrenal adenomas

postoperative adrenocortical function 394

Adrenal incidentalomas

receptor expression 311

Adrenal insufficiency

hydrocortisone therapy 367

Adrenocortical function

effects of tobacco smoking (Review) 666 postoperative, in Cushing's syndrome 394

Adrenocortical hyperplasia, primary nodular (PNAH) paediatric Cushing's syndrome 553

AgRP

in energy balance perturbation 31

Aldosterone

genetic regulation of synthesis 174

Aldosteronism

primary, genetic assays 716

Amiodarone

thyroid dysfunction 494

Angiotensin II

in regulation of aldosterone synthesis 174

Anti-inflammatory therapy

in Graves' ophthalmopathy 612

Apolipoprotein E

endothelial function and LDL 619

Aromatase excess syndrome

prepubertal gynaecomastia (Letter) 780

Arterial dilation

endothelium-dependent, after thyroidectomy 400

Atherosclerosis

adiponectin level and insulin resistance 753 in IGF-I deficiency 360

Athletes

detection of rGH abuse 487

Autoimmunity

anti-inflammatory therapy in Graves' ophthalmopathy 612

cellular responses in thyroid disease (Review) 405 receptor antibodies and premature ovarian failure 46, 376 (Commentary) 414

thyroid, after surgery for hypercortisolism (Letter) 284 thyroid autoantibodies and *H. pylori* (Letter) 650

Birthweight

adiponectin, leptin and adiposity 88 adiponectin levels in newborns 418 (Commentary) 416 insulin, leptin and IGF-1 353

TNF-α system and adiponectin 544

Blood pressure (maternal)

TNF-α system and adiponectin 544

Blood sample

assessment of disease activity in acromegaly 138

Bloodspot

reliability of cortisol sampling 131

Bone

biochemical changes at menopause 123 BMD in female-to-male transsexuals 560

BMD in hyperthyroidism 466

BMD and thyroid disease (Review) 285

density, leptin and adiponectin in female adolescents 204

effects of HIV-1 infection 692

effects of thyroid hormones (Review) 285

fracture risk, and thyroid hormones (Review) 293

metabolism, 17β-oestradiol in men 447

osteoprotegerin and mineral metabolism 244

Brain

injuries and hypopituitarism 320 MRS and SPECT in hyperlipidaemia 182

Cabergoline

in resistant acromegaly 209

CAH

IGF-I and IGFBPs 94

Calcitonin

in medullary thyroid carcinoma (Review) 299

Calcium

in treatment of vitamin D deficiency 603

Carbimazole

adverse reactions 589

Cardiac effects

GH therapy in elderly patients 113

Cardiovascular disease

Cushing's syndrome and risk factors 768

GHD and IGF-I deficiency 360

progestogens and risk factors 760

rGH therapy in hypopituitarism 387

risk, and subclinical hypothyroidism 232

Cavernous sinus sampling

evaluation of Cushing's syndrome 478

C cell disease

in medullary thyroid carcinoma (Review) 303

CD44v6

molecular detection of thyroid cancer (Review) 524

Chemokines

in autoimmune thyroid disease (Review) 405

Children

adiposity rebound in congenital hypothyroidism 441

Cushing's syndrome and primary nodular adrenal

hyperplasia 553

effects of goserelin therapy 626

effects of thyroid hormones on skeleton (Review)

286

GH therapy and insulin sensitivity 473

HIV-1 infection and bone status 692

homocysteine levels in GHD 607

IGF-I and IGFBPs in CAH 94

insulin, leptin, IGF-I and birthweight 353

SGA, and adiponectin 339

see also Neonates

Chylomicron

metabolism in lipoatrophic diabetes 347

Cigarettes see Tobacco smoking

Cimetidine

prepubertal gynaecomastia (Letter) 780

Clomiphene

effects on gonadotrophin secretion 256

Coronary heart disease

IGF-related proteins 595

see also Cardiovascular disease

Coronary vasoreactivity

insulin sensitivity 724

Cortisol

hypersecretion and adrenal incidentalomas 311 reliability of saliva and bloodspot sampling 131

· · ·

Craniopharyngoma

vasopressin and thirst after surgery 273

Cushing's disease/syndrome

ACTH-dependent 478

CVD risk factors 768

postoperative adrenocortical function 394

primary nodular adrenocortical hyperplasia 553

quality of life 458

radiosurgery (Review) 534

sinus sampling 478

Cytokines

in autoimmune thyroid disease (Review) 405

Dexamethasone suppression test

HPA axis and nonalcoholic hepatic steatosis 711

Diabetes

effects of tobacco smoking (Review) 669

insipidus, after craniopharyngoma surgery 273

lipoatrophic, and chylomicron metabolism 347

type 1, insulin, leptin, IGF-I and birthweight 353

type 2, serum adiponectin concentrations 75

Dieting

leptin, adiponectin and resistin 332

Elderly patients

cardiac effects of GH therapy 113

Endometriosis

progesterone receptor gene polymorphism 190

Endothelial cells

function, and rGH therapy 387

inhibition of proliferation by SOM230 431

Endothelial function

apolipoprotein E and LDL 619

Endothelin

ET-1 axis in thyroid carcinoma (Letter) 282

Endothelium-dependent arterial dilation

after thyroidectomy 400

Energy balance perturbation

α-MSH, leptin and AgRP 31

Erectile dysfunction

PDE5 inhibitors and testosterone 382

European Thyroid Association

diagnosis and management of AIT 494

© 2004 Blackwell Publishing Ltd, Clinical Endocrinology, 61, 795-801

Exercise capacity

effects of GH in elderly patients 113

Fine-needle aspiration (FNA) of thyroid 732

FSH

inhibition of binding in resistant ovary syndrome 46 (Commentary) 414

Galectin-3

molecular detection of thyroid cancer (Review) 523

Gastric emptying

effects of tobacco smoking (Review) 667

Gender

IGF-I gene polymorphism and body height 195

Genetics

apolipoprotein E, endothelial function and LDL 619 association of thyroglobulin and Hashimoto's thyroiditis 263

BRAF mutations in papillary thyroid cancers 239 calcium-sensing receptor gene mutation (Letter) 782 CD40 gene polymorphism in Graves' disease 269 endothelin axis expression in thyroid carcinoma (Letter) 282

familial hyperaldosteronism type II 716
glucocorticoid receptor promoter polymorphism 573
IGF-I polymorphism and body height 195
influence of sex steroid receptor genes on prolactin 216
KCNE3 gene in thyrotoxic periodic paralysis 109
leptin and glucocorticoids in twins 149
medullary thyroid carcinoma (Review) 300
molecular detection of thyroid cancer (Review) 523
novel SDHB mutation in phaeochromocytoma 510
PAX8-PPARy rearrangements in thyroid carcinoma
(Letter) 280

prediction of recurrence of NFAs 19 premature ovarian failure 46, 376 (Commentary) 414 progesterone receptor polymorphism in endometriosis 190

PROP1 abnormality in Japanese siblings 635 receptor expression in adrenal incidentalomas 311 regulation of aldosterone synthesis 174 regulation of glucocorticoid receptor gamma 327

GH

assessment of disease activity in acromegaly 138 detection of abuse in athletes 487 secretion after ghrelin in obesity 250 therapy, cardiac effects in elderly patients 113 therapy, and CVD risk in hypopituitarism 387 therapy, effects on ghrelin and adiponectin 81 therapy, homocysteine levels in GHD children 607 therapy and insulin sensitivity 473

therapy, in radiation-induced GHD 683 therapy (Review) 1 Turner's syndrome, lymphophenia and juvenile haemochromatosis 437

GHD

atherosclerosis and IGF-I deficiency 360 cardiac effects of GH in elderly patients 113 diagnosis and management (Review) 1 effects of GH on ghrelin and adiponectin 81 homocysteine levels in children 607 radiation-induced 683 women with hypogonadism and hypopituitarism 567

Ghrelin

effects of GHD and GH therapy 81 GH secretion in obesity 250 levels in cord blood (Letters) 649 metabolic control 503

GHRH

GH secretion in obesity 250

Glucocorticoid

heritability of leptin in twins 149 receptor promoter polymorphism 573 regulation of glucocorticoid receptor gamma 327

Glucose

OGTT in acromegaly 138 regulatory effects on ghrelin 503

Goitre

effects of rhTSH (Review) 655 multinodular, fine-needle aspiration 732 nodular, and paraoxonase activity 515 nodular, potential uses for rhTSH (Review) 163 toxic nodular, and NIS protein 40

Gonadal function

effects of tobacco smoking (Review) 667

Gonadotrophin

effects of clomiphene and raloxifene 256

Goserelin

auxological outcome and time to menarche 626

Graves'disease

CD40 gene polymorphism 269 effects of tobacco smoking (Review) 665 ophthalmopathy, anti-inflammatory therapy 612

Growth

adiponectin in children born SGA 339 in congenital hypothyroidism 155 effects of thyroid hormones on skeleton (Review) 286

Gynaecomastia, prepubertal aetiology, course and outcome 55 causation (Letter) 780 Haemochromatosis, juvenile

Turner's syndrome and lymphophenia 437

Haemorrhage, subarachnoid

hypopituitarism after 320

Hashimoto's thyroiditis

thyroglobulin gene polymorphism 263

Head circumference

in congenital hypothyroidism 155

Height

effects of goserelin therapy 626

IGF-I gene polymorphism 195

Helicobacter pylori

thyroid autoantibodies (Letter) 650

High mobility group 1 (HMG1) protein

molecular detection of thyroid cancer (Review) 525

HIV-1 infection

impairment of skeletal status 692

Homocysteine

levels in GHD children 607

HRT

progestogens and cardiovascular risk factors 760

Hydrocortisone therapy

in adrenal insufficiency 367

saliva and bloodspot cortisol sampling 131

21-Hydroxylase deficiency

IGF-I and IGFBPs in CAH 94

Hyperaldosteronism

familial type II, genetic assays 716

Hypercalcaemia, familial hypocalciuric

calcium-sensing receptor gene mutation (Letter) 782

Hypercortisolism

Typercortisonsiii

thyroid autoimmunity after surgery (Letter) 284

Hyperleptinaemia

in radiation-induced GHD 683

Hyperlipidaemia

MRS and SPECT brain imaging 182

Hyperparathyroidism

medullary thyroid carcinoma (Review) 303

neonatal severe, calcium-sensing receptor gene mutation

(Letter) 782

Hyperthyroidism

bone mineral density in 466

effects on bone and skeleton (Review) 285

endothelium-dependent arterial dilation 400

long-term follow-up of radioiodine therapy 641

serum paraoxonase activity 515

Hypoadrenalism

saliva and bloodspot cortisol sampling 131

Hypoglycaemia

regulatory effects on ghrelin 503

Hypogonadism

hypogonadotrophic, hypopituitarism and GHD 567

Hypopituitarism

after brain injury 320

rGH therapy and CVD risk 387

women with hypogonadism and GHD 567

Hypothalamic-pituitary axis

effects of tobacco smoking (Review) 664

Hypothalamo-pituitary-adrenal (HPA) axis

nonalcoholic hepatic steatosis in obesity 711

Hypothyroidism

autoimmune, cellular responses (Review) 405

congenital, and adiposity rebound 441

congenital, head circumference and linear growth 155

subclinical, and cardiovascular disease 232

ICTP

detection of rGH abuse in athletes 487

IGF

association with CHD 595

IGF-I in CAH due to 21-OHD deficiency 94

IGF-I, deficiency and cardiovascular disease 360

IGF-I, detection of rGH abuse in athletes 487

IGF-I gene polymorphism and body height 195

IGF-I, HIV-1 infection and bone status 692

IGF-I, insulin, leptin and birthweight 353

IGFBP

association with CHD 595

in CAH due to 21-OHD deficiency 94

Immune response

cellular, in autoimmune thyroid disease (Review)

405

Immunoglobulins

inhibition of FSH binding in resistant ovary

syndrome 46 (Commentary) 414

Inferior petrosal sinus sampling

evaluation of Cushing's syndrome 478

Inflammation

subclinical hypothyroidism and CVD risk 232

Insulin

leptin, IGF-I and birthweight 353

regulatory effects on ghrelin 503

resistance, atherosclerosis and adiponectin 753

resistance, in children born SGA 339

sensitivity, adiponectin and PCOS 738

sensitivity, and coronary vasoreactivity 724

sensitivity, and GH therapy 473

sensitivity, and paraoxonase activity 515

sensitivity, in radiation-induced GHD 683

Insulinomas

proinsulin processing 424

© 2004 Blackwell Publishing Ltd, Clinical Endocrinology, 61, 795-801

Iodine

131 MIBG scintigraphy in management of phaeochromocytoma 102

Japanese

association of thyroglobulin and Hashimoto's thyroiditis

Lactation

acute postpartum stress response 582

Leptin

adiponectin and bone density in female adolescents 204 adiponectin, weight and adiposity at birth 88 effect of dieting 332 in energy balance perturbation 31 heritability, in twins 149 insulin, IGF-I and birthweight 353

Leukaemia, acute lymphoblastic (ALL)

GHD, hyperleptinaemia and insulin sensitivity 683

Lipid profiles

atherosclerosis, adiponectin and insulin resistance 753 effects of GH in elderly patients 113 endothelial function, apolipoprotein E and LDL 619 nonalcoholic hepatic steatosis, adiponectin and obesity 700

Lipoatrophic diabetes

chylomicron metabolism 347

Lymphophenia

Turner's syndrome and juvenile haemochromatosis 437

Men

α-MSH, AgRP and leptin in energy balance 31 effects of tobacco smoking (Review) 667 genetic regulation of aldosterone synthesis 174 role of 17β-oestradiol in bone metabolism 447 subclinical hypothyroidism and CVD risk 232

Menarche

effects of goserelin therapy 626

Menopause

bone-related biochemical changes 123

Metabolic syndrome

serum adiponectin concentrations 75

Metabolism

chylomicrons in lipoatrophic diabetes 347 regulation of ghrelin 503 see also Bone

MIBG scintigraphy

in management of phaeochromocytoma 102

Monoclonal thyroid stimulating antibodies (Review) 10

MRS

brain scans in hyperlipidaemia 182

α-MSH

in energy balance perturbation 31 Multiple endocrine neoplasia (MEN) type 2A (Review) 300 type 2B (Review) 303

Neonates

adiponectin, leptin and adiposity 88 birthweight and adiponectin levels 418 (Commentary) ghrelin levels in cord blood (Letters) 649

Neutrophil dyscrasia

adverse reactions to thionamides 589

Nicotine see Tobacco smoking

Obesity

adiponectin and nonalcoholic hepatic steatosis 700 adiposity rebound in congenital hypothyroidism 441 α-MSH, AgRP and lepin in energy balance 31 GH secretion after ghrelin 250 HPA axis and nonalcoholic hepatic steatosis 711

Octreotide

LAR dose extension in acromegaly 224

17β-Oestradiol

bone metabolism in men 447

Oestrogen

influence of receptor genes on prolactin 216 replacement, and cardiovascular risk factors 760

Oncofetal fibronectin

molecular detection of thyroid cancer (Review) 525

Osteomalacia

normalization of PTH during treatment 603

Osteoporosis

BMD in hyperthyroidism 466 effects of thyroid hormones (Review) 285 effects of tobacco smoking (Review) 667

Osteoprotegerin

bone mineral metabolism in women 244

Ovarian function

premature failure 46, 376 (Commentary) 414 see also Polycystic ovary syndrome

Ovarian morphology

in hypopituitarism, hypogonadism and GHD 567

Oxidative stress

paraoxonase activity 515

Paraganglioma

novel SDHB mutation 510

Paraoxonase activity

in hyperthyroidism 515

^{© 2004} Blackwell Publishing Ltd, Clinical Endocrinology, 61, 795-801

Phaeochromocytoma

in medullary thyroid carcinoma (Review) 303 MIBG scintigraphy in management 102 novel *SDHB* mutation 510

Phosphodiesterase type 5 (PDE5) inhibitors erectile dysfunction and testosterone 382

PIIINP

detection of rGH abuse in athletes 487

Pituitary adenomas

double 26

management of acute pituitary apoplexy 747 nonfunctioning, prediction of recurrence 19 postoperative adrenocortical function 394 radiosurgery (Review) 531

Pituitary disease

combined anterior pituitary hormone deficiency 635

Pituitary tumours

impact on quality of life 458

Polycystic ovary syndrome (PCOS)

adiponectin and insulin sensitivity 738

Pregnancy

adiponectin and TNF-α system 544

Progesterone

influence of receptor genes on prolactin 216 receptor gene polymorphism in endometriosis 190

Progestogens

cardiovascular risk factors 760

Proinsulin

processing in insulinomas 424

Prolactin

influence of sex steroid receptor genes 216 status in resistant acromegaly 209

Prolactinoma

radiosurgery (Review) 534

Propylthiouracil

adverse reactions 589

PTH

bone-related biochemical changes at menopause 123

in treatment of vitamin D deficiency 603

Puberty, precocious/early

outcome of goserelin therapy 626

Quality of life, in Cushing's disease 458

Radioiodine therapy

long-term follow-up 641

Radiosurgery

for pituitary adenomas (Review) 531

Raloxifene

effects on gonadotrophin secretion 256

Resistant ovary syndrome

immunoglobulins that inhibit FSH 46

(Commentary) 414

Resistin

effect of dieting 332

RET protooncogene

molecular detection of thyroid cancer (Review) 525

Saliva

steroids, in new low-dose ACTH test 675 reliability of cortisol sampling 131

Scintigraphy

in management of phaeochromocytoma 102

Sinus sampling

evaluation of Cushing's syndrome 478

Skeleton

effects of HIV-1 infection 692 effects of testosterone on genetic female 560

effects of thyroid hormones (Review) 285 Smoking see Tobacco smoking

Sodium

status in regulation of aldosterone synthesis 174

Sodium-iodide symporter protein

in toxic nodular goitre 40

Somatostatin analogues

inhibition of endothelial proliferation by SOM230 431 octreotide LAR dose extension in acromegaly 224 in resistant acromegaly 209

SPECT

brain scans in hyperlipidaemia 182

Steatosis, nonalcoholic hepatic

adiponectin in obesity 700

HPA axis and obesity 711

Stress responses, postpartum 582

Succinate dehydrogenase

novel SDHB mutation 510

T cells

in autoimmune thyroid disease (Review) 405 Turner's syndrome, lymphophenia and juvenile haemochromatosis 437

Telomerase

molecular detection of thyroid cancer (Review) 525

Testosterone

BMD in female-to-male transsexuals 560 PDE5 inhibitors and erectile dysfunction 382

Thionamides

adverse reactions 589

Thirst

vasopressin secretion after craniopharyngoma surgery 273

© 2004 Blackwell Publishing Ltd, Clinical Endocrinology, 61, 795-801

Thyroglobulin

gene polymorphism and Hashimoto's thyroiditis 263 testing, and thyroid carcinoma 61

Thyroid carcinoma

complete thyroidectomy vs lobectomy 145 (Letter) 652 familial medullary (FMTC) (Review) 303 fine-needle aspiration 732 iodine-131 ablation therapy 704 medullary, endothelin axis expression (Letter) 282 medullary (Review) 299 molecular detection (Review) 523 papillary, and BRAF mutations 239 *PAX8-PPARγ* rearrangements (Letter) 280 potential uses for rhTSH (Review) 163 preablative iodine-131 whole body scan 704 serum thyroglobulin measurements 61 therapy and BMD (Review) 288

Thyroidectomy

complete vs lobectomy 145 (Letter) 652 endothelium-dependent arterial dilation 400

Thyroid function

autoantibodies and *H. pylori* (Letter) 650 autoimmunity after surgery for hypercortisolism (Letter) 284 effects on skeleton (Review) 285 effects of tobacco smoking (Review) 665 thyroid stimulating monoclonal antibodies (Review) 10

Thyroiditis

Hashimoto's, and thyroglobulin gene polymorphism 263

Thyrotoxicosis

amiodarone-induced 494 information delivered to patients (Letter) 778

Thyrotoxic periodic paralysis KCNE3 gene 109

Thyroxine (T4)

effects on skeleton (Review) 286

TNF-α (tumour necrosis factor-α) adiponectin and gestation 544

Tobacco smoking

endocrine effects (Review) 664

Transsexuals

female-to-male, BMD and testosterone 560

Triglycerides

subclinical hypothyroidism and CVD risk 232

3,5,3'-Triiodothyronine (T3)

effects on skeleton (Review) 286

TSH

effects of rhTSH (Review) 655 potential uses for rhTSH (Review) 163

Turner's syndrome

lymphophenia with juvenile haemochromatosis 437

Uterus

size in hypopituitarism, hypogonadism and GHD 567

Vasopressin

thirst after craniopharyngoma surgery 273

Vitamin D deficiency

normalization of PTH during treatment 603

Weight

effects of goserelin therapy 626 see also Birthweight

WHO/ISH guidelines

CVD risk in Cushing's syndrome 768

Women

adiponectin, insulin sensitivity and PCOS 738
adiponectin, leptin and bone density 204
bone-related biochemical changes at menopause 123
clomiphene, raloxifene and gonadotrophin secretion
256
effects of tobacco smoking (Review) 667
endothelial function, apolipoprotein E and LDL 619
hypopituitarism, hypogonadism and GHD 567

influence of prolactin on sex steroid receptor genes 216 insulin, leptin, IGF-I and birthweight 353 osteoprotegerin in bone mineral metabolism 244 postpartum acute stress responses 582 premature ovarian failure 46, 376 (Commentary) 414